

TRANSACTIONS

OF THE

American Society of Civil Engineers.

INDEX.

VOLUME XXVI.

JANUARY TO JUNE, 1892.

NOTE.—In this index, Subjects and Writers are given Alphabetically. Titles of Papers are enclosed by quotation marks when indexed alone or under the Author's name. When indexed under the name of a person discussing the paper, the titles are not so enclosed. Titles of papers are entered with reference to the subject and also under the first significant word.

INDEX.

VOLUME XXVI.

JANUARY TO JUNE, 1892.

ADDRESS AT THE ANNUAL CONVENTION.

At Hygeia Hotel, Fortress Monroe, Va., June 8th, 1892. Mendes Cohen, 535.

ANDERSON, LATHAM. Availability of the Cañons of the Colorado River for Railway Purposes, 349.

"AVAILABILITY of the Cañons of the Colorado River of the West for Railway Purposes." Robert B. Stanton, 283.

Discussion: A. F. Sears, 332; O. F. Nichols, 339; S. M. Rowe, 342; Jno. E. Early, 342; J. Francis LeBaron, 344; J. Foster Crowell, 346; Latham Anderson, 349; J. L. Barlow, 349; Lewis Kingman, 351; R. B. Stanton, 355.

BALDWIN, WARD. Railway Bridge Designing, 256.

BALTIMORE AND OHIO RAILROAD.

History of Construction, Development and Early Operation of, Mendes Cohen, 533.

Philadelphia Tunnel of, W. W. Thayer, 529.

BANQUETTES.

In Dike Construction. W. Howard White, 665; Arthur Hider, 676; W. Starling, 699.

BARLOW, J. Q. Availability of the Cañons of the Colorado River for Railway Purposes, 349.

BARRETT, J. P. Electric Lighting at Topeka, Kansas, 438.

BEAHAN, WILLARD. "The Main Relief Sewer of Brooklyn," 484.

BLAND, J. C. Railway Bridge Designing, 232.

BLAKELY, G. H. Railway Bridge Designing, 258.

BOGART, JNO. Holland Dikes, 690.

BORINGS.

To Determine Character of Material. W. Beahan, 486; A. Fteley, 508.

BOUSCAREN, G. Railway Bridge Designing, 174.

BRAZOS RIVER HARBOR IMPROVEMENT.

Discussion: Wm. P. Craighill, 518; E. L. Corthell, 520.

BREITHAUPT, W. H. Railway Bridge Designing, 215.

BRICK.

Used for Roads on Holland Dikes. W. Starling, 636.

Use of, in Tunnels. Wm. C. Jewett, 413.

BRICK MANUFACTURE.

Description of Plants for. F. A. Calkins, 374.

Early, in Peru. A. F. Sears, 405.

Machines for. F. A. Calkins, 367.

Methods of. F. A. Calkins, 370.

Origin of the Art. F. A. Calkins, 363.

Property of Clay Used in. F. A. Calkins, 364.

Uncertainty of Good. Lewis Kingman, 411.

"BRICK MANUFACTURE AND BRICK PAVEMENT." F. A. Calkins, 363.

Discussion: Calvin Tomkins, 400; S. Whinery, 401; T. C. Clarke, 404; Edward P. North, 404; S. C. Thompson, 405; A. F. Sears, 405; R. H. Thurston, 407; Wm. Steyh, 409; Lewis Kingman, 410; H. M. Marshall, 412; Wm. C. Jewett, 413; S. S. Haight, 414; A. N. Talbot, 414; G. W. Rafter, 415.

BRICK PAVEMENT.

Advantages of. F. A. Calkins, 394.

Comparison of, with other pavements. S. Whinery, 402.

Cross Section of Streets for. F. A. Calkins, 393.

Methods of Laying. F. A. Calkins, 391.

Quality of Clay for. F. A. Calkins, 385.

Quality and Shape of Brick for. F. A. Calkins, 386.

Tests and Specifications for. F. A. Calkins, 389; C. Tomkins, 401; S. Whinery, 404; T. C. Clarke, 404; E. P. North, 404; R. H. Thurston, 408; William Steyh, 409; H. M. Marshall, 412; A. N. Talbot, 414; George W. Rafter, 421.

BRIDGES.

"Bridging Cañons Lengthwise." H. V. Hinckley, 521.

Combined Stresses in. J. A. L. Waddell, 104, 279; Edwin Thacher, 145; G. Bouscaren, 183; Jno. A. Fulton, 203; Frank W. Skinner, 219.

First Iron (Bollman) Truss Railroad. M. Cohen, 553.

General Details of Construction of. J. A. L. Waddell, 108, 281; T. C. Clarke, 118; Edwin Thacher, 146; Robert Moore, 151; W. L. Cowles, 165; Paul L. Wölfel, 170; P. C. Ricketts, 173; G. Bous-

caren, 183; H. H. Filley, 188; Fred. H. Smith, 192; H. H. Quimby, 198; Jno. A. Fulton, 204; Saml. T. Wagner, 207; Wm. Cain, 211; Frank C. Osborn, 213; W. H. Breithaupt, 217; A. J. Swift, 223; O. F. Nichols, 227; H. B. Seaman, 230; G. H. Blakeley, 260.

Intensities of Working Stresses in. J. A. L. Waddell, 98, 276; Thos. H. Johnson, 114; G. Lindenthal, 127; Wm. H. Burr, 132; L. L. Buck, 135; Edwin Thacher, 143; G. Bouscaren, 180; H. H. Filley, 187; Fred. H. Smith, 195; H. H. Quimby, 198; Jno. A. Fulton, 201; Wm. Cain, 208; W. H. Breithaupt, 218; Frank W. Skinner, 219; J. C. Bland, 250.

Live Loads. J. A. L. Waddell, 78, 264, 271; Thos. H. Johnson, 113; Geo. F. Swain, 118; J. M. Johnson, 123; G. Lindenthal, 125; Wm. H. Burr, 128; L. L. Buck, 133; J. B. Johnson, 135; Henry C. Eddy, 138; Edwin Thacher, 139; C. L. Gates, 146; C. S. Churchill, 148; Robert Moore, 150; Mansfield Merriman, 151; A. J. Du Bois, 152; J. P. Snow, 156; W. L. Cowles, 162; Paul L. Wölfel, 165; P. C. Ricketts, 171; G. Bouscaren, 174; H. H. Filley, 185; Jno. S. Deans, 190; Fred. H. Smith, 194; Jno. A. Fulton, 199; Benj. Douglas, 205; Wm. Cain, 209; W. H. Breithaupt, 215; Frank W. Skinner, 218; A. J. Swift, 220; O. F. Nichols, 225; H. B. Seaman, 228; J. C. Bland, 232, 242; Ward Baldwin, 256; G. H. Blakeley, 258.

Plate Girder Proportioning. J. A. L. Waddell, 106, 280; Thos. H. Johnson, 117; Geo. F. Swain, 123; Edwin Thacher, 145; C. L. Gates, 147; J. P. Snow, 160; W. R. Hutton, 161; Paul L. Wölfel, 166; Jno. A. Fulton, 204; Benj. Douglas, 206; Frank C. Osborn, 213, 215; Frank W. Skinner, 220; A. J. Swift, 221; O. F. Nichols, 226.

Styles and Proportions of, J. A. L. Waddell, 92, 273; G. Lindenthal, 126; Edwin Thacher, 142; J. P. Snow, 158; W. L. Cowles, 163; P. C. Ricketts, 172; G. Bouscaren, 177; Jno. A. Fulton, 201; Benjamin Douglas, 206; Samuel T. Wagner, 207; W. H. Breithaupt, 217; Frank W. Skinner, 219.

"The Continuous Girder as a Tipper." C. H. Lindenberger, 469.

Wind Pressure. J. A. L. Waddell, 90, 272; T. C. Clarke, 117; George F. Swain, 119; William H. Burr, 123; G. Lindenthal, 126; L. L. Buck, 133; Edwin Thacher, 142; Paul L. Wölfel, 166; P. C. Ricketts, 172; G. Bouscaren, 176; H. H. Quimby, 198; John A. Fulton, 201; Benjamin Douglas, 205; Frank W. Skinner, 219; H. B. Seaman, 231; G. H. Blakeley, 262.

"BRIDGING CAÑONS LENGTHWISE." Howard V. Hinckley, 521.

BRUSH, CHARLES B. Holland Dikes, 689.

Main Relief Sewer of Brooklyn, 512.

BUCK, L. L. Railway Bridge Designing, 133.

BURR, WILLIAM H. Railway Bridge Designing, 128.

CAIN, WILLIAM. Railway Bridge Designing, 208.

"The Transition Curve, whose curvature varies directly as its length from the P. C., or point where it connects with the tangent," 473.

CALKINS, F. A. "Brick Manufacture and Brick Pavement," 363.

CANALS.

Chesapeake and Ohio, Charter Granted. M. Cohen, 537.

Opening of Erie. M. Cohen, 537.

CAÑONS.

"Bridging, Lengthwise." Howard V. Hinckley, 521.

"Of the Colorado River—Availability for Railway Purposes."

Robert B. Stanton, 283.

Development of Cañon Profiles. R. B. Stanton, 290.

First Preliminary Railroad Survey of Cañons of the Colorado.

R. B. Stanton, 291.

Second Preliminary Railroad Survey of Cañons of the Colorado.

R. B. Stanton, 295.

Methods Employed in Survey of Cañons of the Colorado. R. B. Stanton, 297.

Results of Survey of Cañons of the Colorado. R. B. Stanton, 301.

Of the Rio Santa of Peru. A. F. Sears, 333; O. F. Nichols, 340.

CARS.

First Eight-wheeled introduced. M. Cohen, 551.

CARTWRIGHT, ROBERT. Holland Dikes, 684.

CASE, L. N. Hydraulics of the Hemlock Lake Conduit and Restriction of Use and Waste of Water in Rochester, N. Y., 49.

CHURCHILL, C. S. Railway Bridge Designing, 148.

CLAY.

Use of, as puddle. A. F. Sears, 658; Robert Cartwright, 684; C. Herschel, 684; W. E. Worthen, 685; E. A. Fuertes, 686; C. B. Brush, 689; E. P. North, 689; J. F. Crowell, 690; John Bogart, 690; W. R. Hutton, 691; Mendes Cohen, 691; J. J. R. Croes, 691; W. Starling, 695.

CLARKE, THOMAS C. Brick Manufacture and Pavement, 404.

Railway Bridge Designing, 117.

COAL-FIELDS.

Of Western Colorado. R. B. Stanton, 327.

Of Mexico. John E. Early, 342.

COHEN, MENDES. Holland Dikes, 691.

"Address at the Annual Convention at Hygeia Hotel, Fortress Monroe, Va., June 8th, 1892," 535.

COLORADO.

Coal-fields of. R. B. Stanton, 328.

COLORADO RIVER OF THE WEST.

Cañons of—Availability for Railway Purposes. Robert B. Stanton, 283.

Creation of. R. B. Stanton, 288.

Early Explorations of. R. B. Stanton, 284.

COLUMNS.

Straight line formula for strength of. Thomas H. Johnson, 115; George F. Swain, 122.

COMSTOCK, C. B. Holland Dikes, 660.

"CONTINUOUS GIRDER AS A TIPPER." C. H. Lindenberger, 469.

CORTHELL, E. L. Brazos River Harbor Improvement, 520.

COWLES, W. L. Railway Bridge Designing, 162.

CRAIGHILL, WILLIAM P. Brazos River Harbor Improvement, 518.

CROES, J. J. R. Holland Dikes, 691.

CROWELL, J. FOSTER. Availability of the Cañons of the Colorado River for Railway Purposes, 346.

Holland Dikes, 690.

Loss of Head through 24-inch Stop Valve, 453.

CURVE.

"Transition, whose curvature varies directly as its length from the P. C. or point where it connects with the tangent." William Cain, 473.

DAMS.

Across the Maas, and elsewhere in Holland. W. Starling, 643.

DEANS, J. STERLING. Railway Bridge Designing, 190.

DeCOURCEY, B. W. Holland Dikes, 664.

DIKES.

Bank protection necessary for. W. Starling, 580, 697; B. W. DeCourcey, 664.

Beginning of present system of—in Holland. W. Starling, 561.

Brush used on Holland Dikes. W. Starling, 594.

Causes of breaks in. W. Starling, 599.

Internal dikes of Holland. W. Starling, 610.

Material for. W. Starling, 577, 693; A. F. Sears, 657; H. B. Richardson, 671.

Mississippi River dikes compared with those of Holland. W. Starling, 600.

Muck Ditches almost universally used on Mississippi. H. B. Richardson, 670.

Piles used for protection of—in Holland. W. Starling, 590.

Railroad embankments used as. W. Starling, 614.

River dikes of Holland. W. Starling, 565.

Sea dikes of Holland. W. Starling, 563.

"Some Notes on the Holland Dikes." W. Starling, 559.

Straw Mat used in Holland dikes. W. Starling, 593.

Stone facings for—in Holland. W. Starling, 588.

Tarpaulins used for protection of Holland Dikes. W. Starling, 597.

Uniform prices for extra work in Holland. W. Starling, 652; G. W. Rafter, 682.

DOME of proposed Government Building, World's Columbian Exposition, Chicago, Ill. James C. McGuire, 1.

DOUGLAS, BENJAMIN. Railway Bridge Designing, 205.

DUANE, JAMES. Loss of Head through 24-inch Stop Valve, 463.

DUBOIS, A. J. Railway Bridge Designing, 152.

EARLY, JOHN E. Availability of the Cañons of the Colorado River for Railway Purposes, 342.

EDDY, HENRY T. Railway Bridge Designing, 138.

"ELECTRIC LIGHTING AT TOPEKA, KANSAS." Lewis Kingman, 427.

Discussion: John W. Hill, 432; E. E. Magovern, 433; J. P. Barrett, 438; L. Kingman, 438.

ELECTRIC LIGHTS.

Description and cost of—in Topeka, Kansas. Lewis Kingman, 428; John W. Hill, 433.

Cost of—in several cities. E. E. Magovern, 434.

Standards for. E. E. Magovern, 435.

EMBANKMENTS.

Proper slope for preservation of. D. FitzGerald, 663; W. H. White, 666.

Upward pressure of water under. D. FitzGerald, 663; H. B. Richardson, 673; W. Starling, 699.

FANNING, J. T. Holland Dikes, 667.

FILLEY, H. H. Railway Bridge Designing, 185.

FITZGERALD, D. Holland Dikes, 663.

FLETCHER, R. Loss of Head through 24-inch Stop Valve, 459.

FOUNDATIONS.

Of Dome of Proposed Government Building, World's Columbian Exposition, Chicago, Ill. James C. McGuire, 1.

FTELEY, ALPHONSE. Main Relief Sewer of Brooklyn, 508.

FUERTES, E. A. Holland Dikes, 686.

FULTON, JOHN A. Railway Bridge Designing, 199.

GATES, C. L. Railway Bridge Designing, 146.

GAUGES.

Mercury-Pressure—Difference. E. Kuichling, 440.

Uncertainty of Spring or Diaphragm. E. Kuichling, 33; John Thomson, 45, 455; Geo. W. Rafter, 60.

GAYLER, CARL. Railway Bridge Designing, 124.

GIRDER.

Continuous, as a Tipper. C. H. Lindenberger, 469.

Plate. See *Bridges*.

GOULD, E. SHERMAN. Hydraulics of the Hemlock Lake Conduit and Restriction of Use and Waste of Water in Rochester, N. Y., 38.

GRAVEL.

Use of, in Puddle. A. F. Sears, 658; R. Cartwright, 684; C. Herschel, 684; W. E. Worthen, 685; E. A. Fuertes, 686; C. B. Brush, 689; J. F. Crowell, 690; Jno. Bogart, 690; W. R. Hutton, 691; J. J. R. Croes, 691; W. Starling, 695.

HAIGHT, STEPHEN S. Brick Manufacture and Pavement, 414.

HARBOR.

Brazos River, Improvement. W. P. Craighill, 518; E. L. Corthell, 520.

HENRY, D. FERRAND. Loss of Head through 24-inch Stop Valve, 461.

HERING, RUDOLPH. Hydraulics of the Hemlock Lake Conduit and Restriction of Use and Waste of Water in Rochester, N. Y., 40.

HERSCHEL, CLEMENS. Holland Dikes, 684.

Loss of Head through 24-inch Stop Valve, 451.

HIDER, ARTHUR. Holland Dikes, 674.

HILL, JOHN W. Loss of Head through 24-inch Stop Valve, 453.

HINCKLEY, HOWARD V. "Bridging Cañons Lengthwise," 521.

HODGE, HENRY W. Railway Bridge Designing, 261.

"HOLLAND DIKES, Some Notes on the." William Starling, 559.

Discussion: A. F. Sears, 656; C. B. Comstock, 660; D. Fitzgerald, 663; B. W. DeCourcey, 664; W. Howard White, 665; J. T. Fanning, 667; H. B. Richardson, 670; Arthur Hider, 674; J. F. LeBaron, 677; Geo. W. Rafter, 681; Robert Cartwright, 684; Clemens Herschel, 684; W. E. Worthen, 685; E. A. Fuertes, 686; C. B. Brush, 689; E. P. North, 689; J. F. Crowell, 690; John Bogart, 690; W. R. Hutton, 691; Mendes Cohen, 691; J. J. R. Croes, 691; W. Starling, 692.

HOLLAND, Steam used for pumping in. W. Starling, 618.

HUTTON, W. R. Holland Dikes, 691.

Main Relief Sewer of Brooklyn, 515.

Railway Bridge Designing, 161.

"HYDRAULICS of the Hemlock Lake Conduit of the Rochester, N. Y., Water Works." George W. Rafter, 13.

Discussion: E. Kuichling, 28; E. Sherman Gould, 38; Rudolph Hering, 40; John Thomson, 44; L. N. Case, 49; J. Nelson Tubbs, 52; W. N. Radenhurst, 54; George W. Rafter, 56.

INUNDATIONS.

For military purposes in Holland. W. Starling, 655.

IRON.

Work for the Dome of the Proposed Government Building,
World's Columbian Exposition, Chicago, Ill. James C. McGuire, 1.

JETTIES.

Description of, at Fernandina, Fla. J. F. LeBaron, 680.

Mattresses used at Charleston for. W. P. Craighill, 518.

JEWETT, WILLIAM C. Brick Manufacture and Pavement, 413.

JOHNSON, J. B. Railway Bridge Designing, 135.

JOHNSON, J. M. Railway Bridge Designing, 123.

JOHNSON, T. H. Railway Bridge Designing, 112.

KINGMAN, LEWIS. Availability of the Cañons of the Colorado River
for Railway Purposes, 351.

Brick Manufacture and Pavement, 410.

"Electric Lighting at Topeka, Kansas," 427.

KUICHLING, E. Hydraulics of the Hemlock Lake Conduit and
Restriction of Use and Waste of Water in Rochester, N. Y., 28.

"On the Loss of Head by the Passage of Water through a 24-inch
Stop Valve," 439, 464.

LEBARON, J. FRANCIS. Availability of the Cañons of the Colorado
River for Railway Purposes, 344.

Holland Dikes, 677.

LEVEES.

Common Type of, on the Mississippi. C. B. Comstock, 660; on
the Rhine in Germany, C. B. Comstock, 660; on the Elbe in
Prussia, C. B. Comstock, 662; on the Vistula, C. B. Comstock,
662.

Muck Ditches, almost universally used on Mississippi. H. B.
Richardson, 670.

LINDENBERGER, C. H. "The Continuous Girder as a Tipper," 469.

LINDENTHAL, G. Railway Bridge Designing, 125.

LOCOMOTIVES.

First trip of the first Locomotive built in America, M. Cohen, 546.

"Grasshopper," type of, introduced. M. Cohen, 548.

Wood-burning, Horizontal Boiler, introduced. M. Cohen, 552.

"Camel," type of, introduced. M. Cohen, 554.

"LOSS OF HEAD by the Passage of Water Through a 24-Inch Stop
Valve." E. Kuichling, 439.

Discussion: Clemens Herschel, 451; John W. Hill, 453; J. Foster
Crowell, 453; John Thomson, 455; John C. Trautwine, Jr., 458; R.
Fletcher, 459; George W. Rafter, 460; D. Ferrand Henry, 461;
James Duane, 463; E. Kuichling, 464.

- MCCANN, THOMAS H. Main Relief Sewer of Brooklyn, 514.
- McGUIRE, JAMES C. "The Iron Work of the Proposed Government Building, World's Columbian Exposition. Chicago, Ill.," 1.
- "MAIN RELIEF SEWER OF BROOKLYN." Willard Beahan, 484.
Discussion: A. F. Sears, 507; A. Fteley, 508; A. McC. Parker, 509;
O. F. Nichols, 510; C. B. Brush, 512; T. H. McCann, 514; W. R. Hutton, 515; Willard Beahan, 516.
- MARSHALL, HORACE M. Brick Manufacture and Pavement, 412.
- "MEASURES FOR RESTRICTING the Use and Waste of Water, in force in the City of Rochester, N. Y." George W. Rafter, 23.
Discussion: E. Kuichling, 28; E. Sherman Gould, 38; Rudolph Hering, 40; John Thomson, 44; L. N. Case, 49; J. Nelson Tubbs, 52; W. N. Radenhurst, 54; Geo. W. Rafter, 56.
- MERRIMAN, MANSFIELD. Railway Bridge Designing, 151.
- MISSISSIPPI DIKES.
Compared with those of Holland. W. Starling, 600; H. B. Richardson, 670; Arthur Hider, 674.
Common type of. C. B. Comstock, 660.
- MOORE, ROBERT. Railway Bridge Designing, 150.
- MUCK DITCHES.
Almost universally used on the Mississippi Levees. H. B. Richardson, 670.
Failure of, in Mississippi Levees. Arthur Hider, 675; W. Starling, 699.
- NICHOLS, O. F. Availability of the Cañons of the Colorado River for Railway Purposes, 339.
Main Relief Sewer of Brooklyn, 510.
Railway Bridge Designing, 225.
- NORTH, EDWARD P. Brick Manufacture and Pavement, 404.
Holland Dikes, 689.
- OSBORN, F. C. Railway Bridge Designing, 212.
- PARKER, ANDREW McC. Main Relief Sewer of Brooklyn, 509.
- PAVEMENT. Standard for comparative durability of different kinds of.
S. Whinery, 402.
Bricks made of furnace slag for. S. S. Haight, 414.
Cost of various, in Rochester, N. Y. George W. Rafter, 417.
- PAVEMENT, BRICK. See *Brick Pavement*.
- "PHILADELPHIA TUNNEL of the Baltimore and Ohio Railroad, its Construction and Cost." W. W. Thayer, 529.
- PHOTOGRAPHY.
Use of, in Surveys. R. B. Stanton, 299; John E. Early, 343; J. Foster: Crowell, 346.

PIEZOMETERS.

Reliability of. John Thomson, 45.
See *Water*.

PILES.

Used for Protection of Holland Dikes. W. Starling, 590.

PIPES.

Coefficient of Roughness in Cast and Wrought Iron. Rudolph Hering, 41, 44.
Discharging capacity of. E. Sherman Gould, 39, 40.
Growth of *Spongilla* in. E. Kuichling, 38; J. Nelson Tubbs, 53;
W. N. Radenhurst, 55, 56; Geo. W. Rafter, 66.
Nominal and Actual Diameters of. Geo. W. Rafter, 61; E. Kuichling, 32, 33.
Theoretical Resistance, due to bends in. Geo. W. Rafter, 61-64.
Wrought and Cast Iron, Relative Value of for Conduits. Geo. W. Rafter, 76.

PUDDLE.

Use of Clay and other Materials in. A. F. Sears, 658; R. Cartwright, 684; C. Herschel, 684; W. E. Worthen, 685; E. A. Fuertes, 686; C. B. Brush, 689; Jno. Bogart, 690; W. R. Hutton, 691; J. J. R. Croes, 691; W. Starling, 695.

PUMPING.

Windmills formerly used for, in Holland, 618, 622.
Steam now used for, in Holland, 618, 622.
Screw and Scoop-wheels now used for, in Holland, 623.
Canal Pumping Works in Chicago. G. W. Rafter, 683.
Large Plants for, in Egypt. G. W. Rafter, 683.

PUMPS.

In Holland. J. T. Fanning, 668.

QUIMBY, H. H. Railway Bridge Designing, 198.

RADENHURST, W. N. Hydraulics of the Hemlock Lake Conduit and Restriction of Use and Waste of Water in Rochester, N. Y., 54.

RAFTER, Geo. W. Brick Manufacture and Pavement, 415.
Holland Dikes, 681.

Loss of Head through 24-inch Stop Valve, 460.

"Measures for Restricting the Use and Waste of Water in Force in the City of Rochester, N. Y.," 23.

"The Hydraulics of the Hemlock Lake Conduit of the Rochester, N. Y., Water Works," 13.

RAILROADS.

"Baltimore and Ohio, Philadelphia Tunnel of." W. W. Thayer, 529.

Destruction of Line in the Cañon of the Rio Santa of Peru. A. F. Sears, 335.

History of Construction, Development and Early Operation of the Baltimore and Ohio. M. Cohen, 533.

First trip of first Locomotive built in America. M. Cohen, 546.

Transition Curve for. Wm. Cain, 473.

"RAILWAY BRIDGE DESIGNING, Some Disputed Points in."
J. A. L. Waddell, 77.

Discussion: T. H. Johnson, 112; T. C. Clarke, 117; George F. Swain, 118; J. M. Johnson, 123; Carl Gayler, 124; G. Lindenthal, 125; Wm. H. Burr, 128; L. L. Buck, 133; J. B. Johnson, 135; Henry T. Eddy, 138; Edwin Thatcher, 139; C. L. Gates, 146; C. S. Churchill, 148; Robert Moore, 150; Mansfield Merri-
man, 151; A. J. DuBois, 152; J. P. Snow, 156; W. R. Hutton, 161; W. L. Cowles, 162; Paul L. Wölfl, 165; P. C. Ricketts, 171; G. Bouscaren, 174; H. H. Filley, 185; J. Sterling Deans, 190; F. H. Smith, 192; H. H. Quimby, 198; John A. Fulton, 199; Benjamin Douglas, 205; S. T. Wagner, 207; Wm. Cain, 208; F. C. Osborn, 212; W. H. Breithaupt, 215; F. W. Skinner, 218; A. J. Swift, 220; O. F. Nichols, 225; H. B. Seaman, 227; Ward Baldwin, 256; J. C. Bland, 232; A. C. Stites, 257; Lee Treadwell, 257; G. H. Blakeley, 258; Henry W. Hodge, 261; J. A. L. Waddell, 263.

RAINFALL.

Maximum, in Brooklyn. W. Beahan, 485, 516; A. F. Sears, 507.

RICHARDSON, H. B. Holland Dikes, 670.

RICKETTS, P. C. Railway Bridge Designing, 171.

ROADS.

On Dikes in Holland. W. Starling, 637.

ROWE, S. M. Availability of the Cañons of the Colorado River for Railway Purposes, 342.

SAND.

Use of, in Dams and Dikes. A. F. Sears, 659.

Use of, in Puddle. A. F. Sears, 658; R. Cartwright, 684; C. Herschel, 684; W. E. Worthen, 685; E. A. Fuertes, 686; C. B. Brush, 689; J. F. Crowell, 690; Jno. Bogart, 690; W. R. Hutton, 691; J. J. R. Croes, 691; W. Starling, 695.

SAND DUNES.

Preservation of, in Holland. W. Starling, 589; A. F. Sears, 660.

SCREW.

Description of, Used for Pumping in Holland. W. Starling, 623.

SEAMAN, H. B. Railway Bridge Designing, 227.

SEARS, ALFRED F. Availability of the Cañons of the Colorado River for Railway Purposes, 332

Brick Manufacture and Pavement, 405.

Holland Dikes, 656.

Main Relief Sewer of Brooklyn, 507.

SEWERS.

"Main Relief of Brooklyn." Willard Beahan, 484.

SKINNER, F. W. Railway Bridge Designing, 218.

SLUICES, or Locks used in Holland. W. Starling, 632.

SMITH, T. H. Railway Bridge Designing, 192.

SNOW, J. P. Railway Bridge Designing, 156.

SPECIFICATIONS.

Material for Dome of Proposed Government Building, World's Columbian Exposition, Chicago, Ill. James C. McGuire, 11.

For Brick. See *Brick Pavement*.

SPONGILLA.

Growth of, in Water Pipes. E. Knichling, 38; J. Nelson Tubbs, 53; W. N. Radenhurst, 55, 56; Geo. W. Rafter, 60.

STANTON, ROBERT B. "Availability of the Cañons of Colorado River of the West for Railway Purposes," 283.

STARLING, WILLIAM. "Some Notes on the Holland Dikes," 559.

STEYH, WILLIAM. Brick Manufacture and Pavement, 409.

STITES, A. C. Railway Bridge Designing, 257.

STRESSES.

In Dome of Proposed Government Building, World's Columbian Exposition, Chicago, Ill. James C. McGuire, 7-9.

See *Bridges*.

SURVEYS.

Methods Employed in Survey of Cañons of the Colorado. R. B. Stanton, 297.

Results of Survey of Cañons of the Colorado. R. B. Stanton, 301.

Use of Photography in. R. B. Stanton, 299.

SWAIN, GEORGE F. Railway Bridge Designing, 118.

SWIFT, A. J. Railway Bridge Designing, 220.

TALBOT, ARTHUR N. Brick Manufacture and Pavement, 414.

THATCHER, EDWIN. Railway Bridge Designing, 139.

THAYER, W. W. "Philadelphia Tunnel of the Baltimore and Ohio Railroad; its Construction and Cost," 529.

THOMSON, JOHN. Hydraulics of the Hemlock Lake Conduit, and Restriction of Use and Waste of Water in Rochester, N. Y., 44.

Loss of Head through 24-inch Stop Valve, 455.

THOMPSON, SAMUEL C. Brick Manufacture and Pavement, 405.

THURSTON, ROBERT H. Brick Manufacture and Pavement, 407.

TOMKINS, CALVIN. Brick Manufacture and Pavement, 400.

"TRANSITION CURVE whose curvature varies directly as its length from the P. C. or point where it connects with the tangent." William Cain, 473.

TREADWELL, LEE. Railway Bridge Designing, 257.

TRAUTWINE, JOHN C., Jr. Loss of Head through 24-inch Stop Valve, 458.

TUBBS, J. NELSON. Hydraulics of the Hemlock Lake Conduit, and Restriction of Use and Waste of Water in Rochester, N. Y., 52.

TUNNELS.

Methods of Tunneling in Soft Ground. W. Beahan, 490.

Pilot System Used in Brooklyn. W. Beahan, 492; O. F. Nichols, 510; C. B. Brush, 512.

Iron Poling Boards Used in. W. Beahan, 497, 516.

Hudson River. C. B. Brush, 512; W. Beahan, 513, 517; T. H. McCann, 514; W. R. Hutton, 515.

Cost per foot of Philadelphia Tunnel, Baltimore and Ohio Railroad. W. W. Thayer, 533.

"Philadelphia Tunnel of the Baltimore and Ohio Railroad." W. W. Thayer, 529.

Value of, for Railway Lines in Cañons. A. F. Sears, 337; O. F. Nichols, 341; J. Foster Crowell, 348.

WADDELL, J. A. L. "Some Disputed Points in Railway Bridge Designing," 77, 263.

WAGNER, S. T. Railway Bridge Designing. 207.

WATER.

Effect of Wind in Raising Surface of—in Holland. W. Starling, 631.

Fluctuations of—in Piesometric Columns. G. Kuichling, 29; George W. Rafter, 59; John Thomson, 456.

Level of Ground—in Brooklyn. W. Beahan, 485.

"Loss of Head by the Passage of Water through a 24-inch Stop Valve." E. Kuichling, 439.

Oscillations in Flowing—E. Kuichling, 445, 464; John Thomson, 456; J. C. Trautwine, Jr., 458; Clemens Herschel, 452; D. Ferrand Henry, 461.

Oscillation in Height of Water in Holland Rivers. W. Starling, 648.

Spongilla in Water Pipes. E. Kuichling, 38; J. Nelson Tubbs, 53; W. N. Radenhurst, 55, 56; George W. Rafter, 66.

"Measures for Restricting Use and Waste of—in the City of Rochester, N. Y." George W. Rafter, 23.

WATER, FLOW OF, Estimated Through Partially Closed Stop Valve for Tests of Pumping Engines. John W. Hill, 454.

Direction of. John Thomson, 457.

- Coefficient for, in Brick Conduits. W. Beahan, 487; A. Fteley, 508.
Hemlock Lake Conduit, Rochester Water Works. George W. Rafter, 17.
In Pipes, Resistance Due to Bends. George W. Rafter, 61-64.
Coefficient of Roughness. Rudolph Hering, 42.
Venturi Meter. Clemens Herschel, 452.
Differential Piezometer. R. Fletcher, 459.

WATER WORKS.

- "The Hydraulics of the Hemlock Lake Conduit, Rochester, N. Y."
George W. Rafter, 13.

WEIRS.

- Waste—in Holland. W. Starling, 640.

WORLD'S COLUMBIAN EXPOSITION.

- The Iron Work of the Proposed Government Building. James C. McGuire, 1.

WHINERY, SAMUEL. Brick Manufacture and Pavement, 401.

WHITE, W. HOWARD. Holland Dikes, 665.

WÖLFEL, PAUL L. Railway Bridge Designing, 165.

WORTHEN, WILLIAM E. Holland Dikes, 685.